

according to 1907/2006/EC, Article 31

Printing date 13.10.2022

Version number 1.0

1.1 Product identifier	
Trade name: 1.2 Relevant identified uses of the substance or mixture	Country Shades
and uses advised against Application of the substance	No further relevant information available.
/ the mixture	Paint
1.3 Details of the supplier of t	he safety data sheet
Manufacturer/Supplier:	Osmo Holz und Color GmbH & Co. KG Affhüppen Esch 12 D-48231 Warendorf Germany
Further information	
obtainable from:	Product safety department Tel.: +49 (0) 251 / 692 - 188 Fax: +49 (0) 251 / 692 - 462 e-mail: helmut.starp@osmo.de
1.4 Emergency telephone	
number:	emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service German and English
Importer	Importer for UK: OSMO UK, Smeaton Close Unit 24 Anglo Business Park Aylesbury, Bucks HP19 8UP Phone: 01296 481 220, www.osmouk.com United Kingdom

Void
Void
Void
<ul> <li>P101 If medical advice is needed, have product container or label at hand.</li> <li>P102 Keep out of reach of children.</li> <li>P262 Do not get in eyes, on skin, or on clothing.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> </ul>



according to 1907/2006/EC, Article 31

Printing date 13.10.2022 Version number 1.0 Revision: 12.10.2022 Trade name: Country Shades (Contd. of page 1) 2.3 Other hazards Warning: Wash out any used cloth impregnated with this product immediately after use or store in an airtight container (danger of self-ignition) Always wear a dust mask when sanding. Observe the general safety regulations when handling chemicals. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. SECTION 3: Composition/information on ingredients 3.2 Mixtures **Description:** Mixture of substances listed below with nonhazardous additions. Dangerous components: EC number: 918-481-9 aliphatic hydrocarbons, C10-C13 10-<50% Reg.nr.: 01-2119457273-39 🚯 Asp. Tox. 1, H304, EUH066 EC number: 927-632-8 Kohlenwasserstoffe, C14-C18, n-Alkane, Isoalkane, Cyclene 0-<5% Reg.nr.: 01-2119457736-27 🚯 Asp. Tox. 1, H304 CAS: 34590-94-8 Dipropylene glycol monomethyl ether 2.5-10% EINECS: 252-104-2 substance with a Community workplace exposure limit Reg.nr.: 01-2119450011-60 CAS: 13463-67-7 titanium dioxide - aerodynamic dia meter >10 µm 0-30% EINECS: 236-675-5 Additional information: For the wording of the listed hazard phrases refer to section 16. Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter  $\leq 10 \ \mu m$ . The content of Titanium dioxide varies according to the colour shade. The hydrocarbons used do not contain benzene or benzene in concentrations < 0.1% by weight and thus meet the requirements of Note P to Annex VI of Regulation (EC) No 1272/2008 (GHS Regulation). SECTION 4: First aid measures 4.1 Description of first aid measures General information: Immediately remove any clothing soiled by the product. Take affected persons out into the fresh air. After inhalation: Supply fresh air; consult doctor in case of complaints. In case of unconsciousness place patient stably in side position for transportation. After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. If skin irritation or rash occurs: Get medical advice/attention. (Contd. on page 3) GB



according to 1907/2006/EC, Article 31

ting date 13.10.2022	Version number 1.0	Revision: 12.10.20
<sub>de name:</sub> Country Shad	es	
		(Contd. of page
After eye contact:	Rinse opened eye for several minutes under ru persist, consult a doctor.	inning water. If symptoms
After swallowing:	If swallowed, seek medical advice immediately	and show this container or
-	label.	
	Do NOT induce vomiting.	
1. 2. Maat in nartant armentar	Rinse mouth.	
4.2 Most important symptom and effects, both acute and	5	
delayed	Dizziness	
4.3 Indication of any		
immediate medical attention		
and special treatment neede	<i>d</i> If swallowed or in case of vomiting, danger of e	entering the lungs.
SECTION 5: Firefighting	measures	
5.1 Extinguishing media		
Suitable extinguishing		
agents:	CO2, powder or water spray. Fight larger fires v resistant foam.	with water spray or alcohol
For safety reasons unsuitabl		
extinguishing agents:	Water with full jet	
5.2 Special hazards arising from the substance or		
mixture	No further relevant information available.	
5.3 Advice for firefighters		
Protective equipment:	General measures for chemical fires.	
Additional information	Cool endangered receptacles with water spray.	
SECTION 6: Accidental	release measures	
6.1 Personal precautions,		
protective equipment and		
emergency procedures	Keep away from ignition sources.	
	Ensure adequate ventilation	
For non omorgonau	Wear protective clothing.	
For non-emergency personnel	No action shall be taken involving any personal	l risk or without suitable trainir
For emergency responders	Wear protective equipment. Keep unprotected	
6.2 Environmental		porcorio away.
precautions:	Inform respective authorities in case of seepag	e into water course or sewage
-	system.	0
	5	
	Do not allow to enter sewers/ surface or ground	d water. (Contd. on page



according to 1907/2006/EC, Article 31

Printing date 13.10.2022

Version number 1.0

	(Contd. of p
6.3 Methods and material for	
containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acid binders, universa
	binders).
	Dispose of the material collected according to regulations.
	Dispose contaminated material as waste according to item 13.
	Ensure adequate ventilation.
6.4 Reference to other	
sections	See Section 7 for information on safe handling.
	See Section 8 for information on personal protection equipment.
	See Section 13 for disposal information.
SECTION 7: Handling an	d storage
7.1 Precautions for safe	
handling	Ensure good ventilation/exhaustion at the workplace.
	Open and handle receptacle with care.
	Prevent formation of aerosols.
General protective and	
hygienic measures:	Wash hands before breaks and at the end of work.
	Do not inhale gases / fumes / aerosols.
	Do not eat, drink, smoke or sniff while working.
	Do not carry product impregnated cleaning cloths in trouser pockets.
Information about fire - and	
explosion protection:	Keep respiratory protective device available.
Handling:	Even a small sip can lead to life-threatening damage to the lungs. Keep ra
	filled with this liquid out of the reach of children.
-	e, including any incompatibilities
Storage:	
Requirements to be met by	· · · ·
storerooms and receptacles:	No special requirements.
Information about storage in	
one common storage facility: Further information about	not required.
Further intermation apout	
	Keep container tightly sealed.
storage conditions: Storage class:	Store in cool, dry conditions in well sealed receptacles.



according to 1907/2006/EC, Article 31

Printing date 13.10.2022

Version number 1.0

			(Contd. of page 4)
SECTIO	N 8: Exposure c	ontrols/personal protecti	on
8.1 Contro	ol parameters		
Ingredien	ts with limit values	that require monitoring at the	workplace:
34590-94-	8 Dipropylene glyco	ol monomethyl ether	
WEL Long Sk	g-term value: 308 mg	g/m³, 50 ppm	
DNELs			
34590-94-	8 Dipropylene glyco	ol monomethyl ether	
Oral	DNEL Verbraucher	(Langzeit - systemische Effekte)	36 mg/kg KGew. /Tag
Dermal	DNEL Verbraucher	(Langzeit - systemische Effekte)	121 mg/cm²
Inhalative	Worker (chronic - S	ystemic health effec)	308 mg/m³
	DNEL Verbraucher	(Lanzeit - systemische Effekte)	37.2 mg/m³
PNECs			L
34590-94-	8 Dipropylene glyco	ol monomethyl ether	
PNEC sea	water	1.9 mg/l	
PNEC fres	h water	19 mg/l	
PNEC sed	iment (fresh water)	70.2 mg/kg	
PNEC sed	iment (sea water)	7.02 mg/kg	
PNEC soil		2.74 mg/kg	
PNEC sew	age treatment plant	4,168 mg/l	
interrupted	l release	190 mg/l	
Additiona	l information:	The lists valid during the makir	ng were used as basis.
8.2 Expos	ure controls		
	te engineering		
controls	protoction moscur	Ensure good ventilation/exhau res, such as personal protectiv	
	rotective and	es, such as personal protectiv	eequipment
-	neasures:	The usual precautionary meas	ures are to be adhered to when handling
		chemicals.	
		Do not eat, drink, smoke or sn See Section 7 for information of	0
Respirato	ry protection:	In case of brief exposure or low of intensive or longer exposure device.	w pollution use respiratory filter device. In case e use self-contained respiratory protective
		combination filter A1 - P2 acco Use a properly fitted, air-purify	onnection EN 148-1 (screw-on filter) and ording to German DIN EN 14387. ing or air-fed repirator complying with an sessment indicates this is necessary.



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.10.2022

Version number 1.0

Revision: 12.10.2022

	(Contd. of pag
Hand protection	Protective gloves
	The glove material has to be impermeable and resistant to the product/ the
	substance/ the preparation.
	Selection of the glove material on consideration of the penetration times, rat of diffusion and the degradation
Material of gloves	The selection of the suitable gloves does not only depend on the material, b also on further marks of quality and varies from manufacturer to manufactur As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Penetration time of glove	
material	The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
For the permanent contac	
gloves made of the follow	
materials are suitable:	Nitrile rubber, NBR
	Recommended thickness of the material: $\geq 0.4$ mm
	For the mixture the penetration time has to be at least 480 minutes
	(Permeation according to EN 374 Part 3: Level 6).
Eye/face protection	Tightly sealed goggles
Body protection:	Protective work clothing

#### 9.1 Information on basic physical and chemical properties

General Information	
Physical state	Fluid
Colour:	According to product specification
Odour:	Mild
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	≥170–≤260 °C (aliphatic hydrocarbons, C10-C13)
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	≥0.6 Vol % (Kohlenwasserstoffe, C14-C18, n-Alkane, Isoalkane, Cyclene)
Upper:	≤7 Vol % (Kohlenwasserstoffe, C14-C18, n-Alkane, Isoalkane, Cyclene)
Flash point:	> 60 °C (DIN EN ISO 2719)
Ignition temperature:	>200 °C (aliphatic hydrocarbons, C10-C13)
Decomposition temperature:	Not determined.
pН	Mixture is non-polar/aprotic.
	(Contd. on page 7



according to 1907/2006/EC, Article 31

Printing date 13.10.2022

Version number 1.0

Revision: 12.10.2022

<sub>de name:</sub> Country Shades	
	(Contd. of page
Viscosity:	
Kinematic viscosity at 20 °C	45–55 s (DIN 53211/4)
Dynamic at 40 °C:	>20.2–27.7 mPas
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 25 °C:	≤0.6 hPa (aliphatic hydrocarbons, C10-C13)
Density and/or relative density	
Density at 20 °C:	0.96–1.32 g/cm³ (DIN 51757)
Relative density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and	1
environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
VOC (EC)	<400 g/l
Change in condition	, , , , , , , , , , , , , , , , , , ,
Evaporation rate	Not determined.
Information with regard to physical hazard classe	25
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

(Contd. on page 8)



according to 1907/2006/EC, Article 31

Printing date 13.10.2022

Version number 1.0

Revision: 12.10.2022

# Trade name: Country Shades

(Contd. of page 7)

#### SECTION 10: Stability and reactivity

10.1 Reactivity 10.2 Chemical stability	No further relevant information available.
Thermal decomposition / conditions to be avoided: 10.3 Possibility of hazardous	No decomposition if used and stored according to specifications.
reactions	Reacts with fabric soaked in the product (e.g. cleaning wool).
10.4 Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
10.5 Incompatible materials: 10.6 Hazardous	No further relevant information available.
decomposition products:	No hazardous decomposition products when stored and handled correctly.
Additional information:	Warning: Wash out any used cloth impregnated with this product immediately after use or store in an airtight container (danger of self-ignition)

#### **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity

aliphatic	hydrocarbo	ns, C10-C13
Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rat)
Inhalative	LC50 / 4h	>5 mg/l (rat)
13463-67-	7 titanium o	lioxide - aerodynamic dia meter >10 μm
Oral	LD50	>20,000 mg/kg (rat)
Dermal	LD50	>10,000 mg/kg (rabbit)
Kohlenwasserstoffe, C14-C18, n-Alkane, Isoalkane, Cyclene		
Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>3,160 mg/kg (rabbit)
Inhalative	LC50 / 4h	>5,000 mg/l (rat)
34590-94-	8 Dipropyle	ne glycol monomethyl ether
Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>19,020 mg/kg (rat)
		13,000–14,000 mg/kg (rabbit)
Inhalative	LC50 / 4h	1,667 mg/l (rat)
	LC50 / 72h	0.76 mg/l (selenastrum capricornutum)



according to 1907/2006/EC, Article 31

Printing date 13.10.2022

Version number 1.0

Revision: 12.10.2022

### Trade name: Country Shades

(Contd. of page 8) Skin corrosion/irritation At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent. Serious eye damage/irritation Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

#### SECTION 12: Ecological information

#### 12.1 Toxicity

Aquatic to	/drocarbons, C1(	)-C13
	>1,000 mg/l (Dap	
	>1,000 mg/l (bap >1,000 mg/l (alga	- /
	>1,000 mg/l (fish)	
		18, n-Alkane, Isoalkane, Cyclene
	>3,193 mg/l (Dap	
LC50 / 96h	>1,028 mg/l (fish)	
34590-94-8	Dipropylene glyo	col monomethyl ether
EC50 / 48h	70.2 mg/l	
	1,919 mg/l (Daph	nia magna)
LC50 / 96h	5.3 mg/l (Oncorhynchus mykiss (Regenbogenforelle))	
LC50 / 48h	10.2 mg/l (Oncor	hynchus mykiss (Regenbogenforelle))
12.2 Persis	tence and	
degradabil	ity	No further relevant information available.
12.3 Bioaco	cumulative	
potential		No further relevant information available.
12.4 Mobili	•	No further relevant information available.
	s of PBT and vP	
PBT:		Not applicable.
vPvB:	rine disrupting	Not applicable.
properties	inte distupting	The product does not contain substances with endocrine disrupting properties
	adverse effects	
	ecological inform	nation:
General no	-	Water hazard class 2 (German Regulation) (Self-assessment): hazardous for
		water
		Danger to drinking water if even small quantities leak into the ground. (Contd. on page 1



according to 1907/2006/EC, Article 31

Printing date 13.10.2022

Version number 1.0

Revision: 12.10.2022

# Trade name: Country Shades

(Contd. of page 9)

#### SECTION 13: Disposal considerations

Recommendation	Must not be disposed together with household garbage. Do not allow produc
	to reach sewage system.
	Disposal must be made according to official regulations.
Uncleaned packaging:	
Recommendation:	Disposal must be made according to official regulations.
Recommended cleansing	
agents:	Solvent naphtha
	Osmo Brush Cleaner and Thinner

#### **SECTION 14: Transport information**

14.1 UN number or ID number ADR, IMDG, IATA	Not applicable
14.2 UN proper shipping name	
ADR, IMDG, IATA	Not applicable
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Not applicable
14.4 Packing group	
ADR, IMDG, IATA	Not applicable
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according	to IMO
instruments	Not applicable.
UN "Model Regulation":	Not applicable

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EUNamed dangeroussubstances - ANNEX INone of the ingredients is listed.

(Contd. on page 11)

Page 11/11



# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.10.2022

Version number 1.0

SECTION 16: Other inform This information is based on our specific product features and sha Reasons for alterations Relevant phrases Classification according to Regulation (EC) No 1272/2008 Department issuing SDS: Contact:	A Chemical Safety Assessment has not been carried out. <b>mation</b> r present knowledge. However, this shall not constitute a guarantee for any all not establish a legally valid contractual relationship. Reach Annex II (2021) H304 May be fatal if swallowed and enters airways. EUH066 Repeated exposure may cause skin dryness or cracking. The classification of the mixture is generally based on the calculation methol using substance data according to Regulation (EC) No 1272/2008. product safety department Hr. Dr. Starp
This information is based on our specific product features and sha Reasons for alterations Relevant phrases Classification according to Regulation (EC) No 1272/2008 Department issuing SDS: Contact:	<ul> <li>present knowledge. However, this shall not constitute a guarantee for any all not establish a legally valid contractual relationship.</li> <li>Reach Annex II (2021)</li> <li>H304 May be fatal if swallowed and enters airways.</li> <li>EUH066 Repeated exposure may cause skin dryness or cracking.</li> <li>The classification of the mixture is generally based on the calculation methousing substance data according to Regulation (EC) No 1272/2008.</li> <li>product safety department</li> </ul>
specific product features and sha Reasons for alterations Relevant phrases Classification according to Regulation (EC) No 1272/2008 Department issuing SDS: Contact:	<ul> <li>all not establish a legally valid contractual relationship.</li> <li>Reach Annex II (2021)</li> <li>H304 May be fatal if swallowed and enters airways.</li> <li>EUH066 Repeated exposure may cause skin dryness or cracking.</li> <li>The classification of the mixture is generally based on the calculation methol using substance data according to Regulation (EC) No 1272/2008.</li> <li>product safety department</li> </ul>
Relevant phrases Classification according to Regulation (EC) No 1272/2008 Department issuing SDS: Contact:	<ul> <li>H304 May be fatal if swallowed and enters airways.</li> <li>EUH066 Repeated exposure may cause skin dryness or cracking.</li> <li>The classification of the mixture is generally based on the calculation methousing substance data according to Regulation (EC) No 1272/2008.</li> <li>product safety department</li> </ul>
<i>Classification according to</i> <i>Regulation (EC) No 1272/2008</i> <i>Department issuing SDS:</i> <i>Contact:</i>	EUH066 Repeated exposure may cause skin dryness or cracking. The classification of the mixture is generally based on the calculation methousing substance data according to Regulation (EC) No 1272/2008. product safety department
<i>Classification according to</i> <i>Regulation (EC) No</i> 1272/2008 <i>Department issuing SDS:</i> <i>Contact:</i>	EUH066 Repeated exposure may cause skin dryness or cracking. The classification of the mixture is generally based on the calculation methousing substance data according to Regulation (EC) No 1272/2008. product safety department
Regulation (EC) No 1272/2008 Department issuing SDS: Contact:	using substance data according to Regulation (EC) No 1272/2008. product safety department
Department issuing SDS: Contact:	using substance data according to Regulation (EC) No 1272/2008. product safety department
Department issuing SDS: Contact:	product safety department
Contact:	
Contact:	
Abbreviations and acronyms:	Th. Dr. Starp
	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH)
Sources	LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Asp. Tox. 1: Aspiration hazard – Category 1 ESIS : European chemical Substances Information System ECHA Partal
	ECHA Portal Safety data sheets from raw material suppliers
* Data compared to the	· ····································
, previous version altered.	Additions, Deletions, Revisions
	Updated according to regulation (EU) 2020/878 amending regulation (EC) I