

Printing date 24.05.2018 Version number 12 Revision: 17.05.2018

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: 8000 Osmo Brush Cleaner and Thinner

1.2 Relevant identified uses of the substance or mixture and uses

advised against No further relevant information available.

Application of the substance / the

*mixture* Thinner, Diluent

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Osmo Holz und Color GmbH & Co. KG

Affhüppen Esch 12 D-48231 Warendorf

Further information obtainable

*from:* Product safety department

1.4 Emergency telephone

number: emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service in German

and English

### SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

2.2 Label elements

Labelling according to Regulation

(EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

Hazard pictograms

GHS08

Signal word Danger

Hazard-determining components

of labelling: aliphatic hydrocarbons, C10-C13

Hazard statements H304 May be fatal if swallowed and enters airways.

**Precautionary statements** Keep out of reach of children.

If medical advice is needed, have product container or label at hand.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.
P260 Do not breathe vapours.

P262 Do not get in eyes, on skin, or on clothing.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P501 Dispose of contents/container in accordance with national regulations.

Additional information: EUH066 Repeated exposure may cause skin dryness or cracking.

(Contd. on page 2)



Printing date 24.05.2018 Version number 12 Revision: 17.05.2018

## Trade name: 8000 Osmo Brush Cleaner and Thinner

(Contd. of page 1)

2.3 Other hazards Not applicable.

Results of PBT and vPvB assessment

PBT:Not applicable.vPvB:Not applicable.

### SECTION 3: Composition/information on ingredients

3.2 Mixtures

**Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:

EC number: 918-481-9 aliphatic hydrocarbons, C10-C13

Index number: 649-327-00-6 Reg.nr.: 01-2119457273-39 **♦** Asp. Tox. 1, H304

50-100%

Additional information: 94/69/EC (21st ATP). The benzene content of the product is less than 0.1%.

Classificatin or labeling as carcinogenic is not necessary.

For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

After inhalation: Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult

doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: If swallowed, seek medical advice immediately and show this container or label.

4.2 Most important symptoms and

effects, both acute and delayed Unconsciousness

Nausea Dizziness Headache

Hazards Danger of pneumonia.

4.3 Indication of any immediate medical attention and special

treatment needed No further relevant information available.

(Contd. on page 3)



Printing date 24.05.2018 Version number 12 Revision: 17.05.2018

## Trade name: 8000 Osmo Brush Cleaner and Thinner

(Contd. of page 2)

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing agents: Sand

Fire-extinguishing powder

Water haze Carbon dioxide

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant

foam.

For safety reasons unsuitable

extinguishing agents:

Water with full jet

5.2 Special hazards arising from

the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

**Protective equipment:** Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information Cool endangered receptacles with water spray.

#### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and

*emergency procedures* Keep away from ignition sources.

Ensure adequate ventilation

6.2 Environmental precautions: Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

**6.4 Reference to other sections** See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

**7.1 Precautions for safe handling** Use only in well ventilated areas.

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

(Contd. on page 4)



Printing date 24.05.2018 Version number 12 Revision: 17.05.2018

## Trade name: 8000 Osmo Brush Cleaner and Thinner

(Contd. of page 3)

Information about fire - and

*explosion protection:* Fumes can combine with air to form an explosive mixture.

Highly volatile, flammable constituents are released during processing.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by

storerooms and receptacles: Store only in the original receptacle.

Store in a cool location.

Information about storage in one

common storage facility: Store away from foodstuffs.

Do not store together with alkalis (caustic solutions). Do not store together with oxidising and acidic materials.

Further information about

storage conditions: Protect from heat and direct sunlight.

Store in a cool place. Heat will increase pressure and may lead to the receptacle

bursting.

Store receptacle in a well ventilated area.

Keep container tightly sealed.

7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

Additional information about

design of technical facilities: No further data; see item 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

aliphatic hydrocarbons, C10-C13

TWA (8 H) Long-term value: 1,000 mg/m<sup>3</sup>, 150 ppm ppm

Source: UK SIA

**Additional information:** The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment: General protective and hygienic

*measures:* Do not eat, drink, smoke or sniff while working.

Avoid close or long term contact with the skin. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes and skin.

Do not carry product impregnated cleaning cloths in trouser pockets.

(Contd. on page 5)



Printing date 24.05.2018 Version number 12 Revision: 17.05.2018

## Trade name: 8000 Osmo Brush Cleaner and Thinner

(Contd. of page 4)

**Respiratory protection:** Not necessary if room is well-ventilated.

Use suitable respiratory protective device only when aerosol or mist is formed.

Short term filter device:

Gas filter EN 14387 Type A (organic gas / vapor (boiling point > 65 ° C)).

**Protection of hands:** Solvent resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/

the preparation.

Selection of the glove material on consideration of the penetration times, rates of

diffusion and the degradation

Preventive skin protection by use of skin-protecting agents is recommended.

Material of gloves Nitrile rubber, NBR

Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective

gloves and has to be observed.

For the permanent contact gloves made of the following materials

are suitable: Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.4 \text{ mm}$ 

For the mixture of chemicals mentioned below the penetration time has to be at least

480 minutes (Permeation according to EN 374 Part 3: Level 6).

As protection from splashes gloves made of the following

materials are suitable: Nitrile rubber, NBR

Not suitable are gloves made of

the following materials: Strong material gloves

Eye protection: Goggles recommended during refilling

**Body protection:** Protective work clothing

### SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

**General Information** 

Appearance:

Form: Liquid
Colour: Clear
Odour: Mild

Change in condition

Melting point/freezing point: -25 °C Initial boiling point and boiling range: > 180 °C

*Flash point:* 61-66 °C

*Ignition temperature:* 240 °C

(Contd. on page 6)



Printing date 24.05.2018 Version number 12 Revision: 17.05.2018

## Trade name: 8000 Osmo Brush Cleaner and Thinner

(Contd. of page 5)

Auto-ignition temperature:	Product is not selfigniting.		
Explosive properties:	Product does not present an explosion hazard.	ct does not present an explosion hazard.	
Explosion limits:			
Lower:	0.6 Vol %		
Upper:	7.0 Vol %		
Vapour pressure at 0 °C:	1 hPa		
Density at 20 °C:	0.787 g/cm <sup>3</sup>		
Solubility in / Miscibility with			
water:	Not miscible or difficult to mix.		
Viscosity:			
Dynamic:	Not determined.		
Kinematic at 20 °C:	2 mm²/s		
9.2 Other information	No further relevant information available.		

### SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability
Thermal decomposition /

conditions to be avoided: No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous

reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition

products: Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

	LD/LC50 values relevant for classification:				
aliphatic l	aliphatic hydrocarbons, C10-C13				
Oral	LD50	> 5000 mg/kg (rat) (OECD 401)			
Dermal	LD50	> 5000 mg/kg (rat) (OECD 402)			
Inhalative	LC50 / 4h	> 5 mg/l (rat) (OECD 403)			
•		(C			

(Contd. on page 7)



Printing date 24.05.2018 Version number 12 Revision: 17.05.2018

## Trade name: 8000 Osmo Brush Cleaner and Thinner

(Contd. of page 6)

Primary irritant effect:

Skin corrosion/irritation At long or repeated contact with skin it may cause dermatitis due to the degreasing

effect of the solvent.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met. **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicityBased on available data, the classification criteria are not met.CarcinogenicityBased on available data, the classification criteria are not met.Reproductive toxicityBased on available data, the classification criteria are not met.STOT-single exposureBased on available data, the classification criteria are not met.STOT-repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard May be fatal if swallowed and enters airways.

### SECTION 12: Ecological information

#### 12.1 Toxicity

Aquatic tox	cicity.	:
-------------	---------	---

## aliphatic hydrocarbons, C10-C13

EC50 / 48h | > 1000 mg/l (daphnia) (OECD 202) EC50/ 72h | > 1000 mg/l (algae) (OECD 201) LC50 / 96h | > 1000 mg/l (fish) (OECD 203)

12.2 Persistence and degradability The product is not easily, but potentially biodegradable.

12.3 Bioaccumulative potential No further relevant information available.12.4 Mobility in soil No further relevant information available.

Ecotoxical effects:

**Remark:** The product is highly volatile.

Additional ecological information:

General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for

water

Do not allow undiluted product or large quantities of it to reach ground water, water

course or sewage system.

12.5 Results of PBT and vPvB assessment

*PBT*: Not applicable.*vPvB*: Not applicable.

12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

**Recommendation** Must not be disposed together with household garbage. Do not allow product to reach

sewage system.

(Contd. on page 8)



Printing date 24.05.2018 Version number 12 Revision: 17.05.2018

## Trade name: 8000 Osmo Brush Cleaner and Thinner

(Contd. of page 7)

European waste catalogue			
07 07 04	other organic solvents, washing liquids and mother liquors		
15 01 10	packaging containing residues of or contaminated by dangerous substances		

Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information		
14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA  14.3 Transport hazard class(es)	Void	
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.		
Transport/Additional information:	Not dangerous according to the above specifications.	
UN "Model Regulation":	Void	

## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

GISBAU-Code GISCODE: M-VM01

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 9)



Printing date 24.05.2018 Version number 12 Revision: 17.05.2018

## Trade name: 8000 Osmo Brush Cleaner and Thinner

(Contd. of page 8)

**Relevant phrases** H304 May be fatal if swallowed and enters airways.

Department issuing SDS: product safety department

Contact: Hr. Dr. Starp

Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer

(Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Asp. Tox. 1: Aspiration hazard – Category 1

GB