# Safety data sheet



according to 1907/2006/EC, Article 31

Printing date 14.02.2022 Version number 15.5 (replaces version 15.3) Revision: 14.02.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

**TopOil** Trade name:

Article number: 3028 Clear Satin, 3037 White, 3038 Terra, 3039 Graphite, 3058 Clear Matt,

3061 Acacia, 3068 Natural

1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

Application of the substance

/ the mixture Paint

Coating compound/ Surface coating/ paint

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Osmo Holz und Color GmbH & Co. KG

> Affhüppen Esch 12 D-48231 Warendorf

Germany

Further information

obtainable from: Product safety department

> Tel.: +49 (0) 251 / 692 - 188 Fax: +49 (0) 251 / 692 - 462 e-mail: helmut.starp@osmo.de

1.4 Emergency telephone

number: emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service in

German and English

#### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to

Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

2.2 Label elements

Hazard pictograms Void Signal word Void Hazard statements Void

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P262 Do not get in eyes, on skin, or on clothing. P271 Use only outdoors or in a well-ventilated area.

Additional information: EUH210 Safety data sheet available on request.

2.3 Other hazards Observe the general safety regulations when handling chemicals.

Always wear a dust mask when sanding.

Warning:

Wash out any used cloth impregnated with this product immediately after use

or store in an airtight container (danger of self-ignition)

(Contd. on page 2)



Printing date 14.02.2022 Version number 15.5 (replaces version 15.3) Revision: 14.02.2022

Trade name: TopOil

(Contd. of page 1)

Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

3.2 Mixtures

**Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
EC number: 918-481-9	aliphatic hydrocarbons, C10-C13	25-50%
	♠ Asp. Tox. 1, H304, EUH066	
CAS: 13463-67-7	titanium dioxide - aerodynamic dia meter >10 µm	<1%
EINECS: 236-675-5		

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

The content of Titanium dioxide varies according to the colour shade. Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter  $\leq$  10  $\mu$ m.

#### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

General information: Take affected persons out into the fresh air.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms

persist, consult a doctor.

After swallowing: Do NOT induce vomiting.

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and

**delayed** No further relevant information available.

4.3 Indication of any

immediate medical attention

and special treatment needed No further relevant information available.

(Contd. on page 3)



Printing date 14.02.2022 Version number 15.5 (replaces version 15.3) Revision: 14.02.2022

Trade name: TopOil

(Contd. of page 2)

## SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing

agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol

resistant foam.

For safety reasons unsuitable

extinguishing agents:

Water with full jet

5.2 Special hazards arising from the substance or

mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

Protective equipment:

Do not inhale explosion gases or combustion gases.

General measures for chemical fires.

Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with

official regulations.

### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and

emergency procedures Ensure adequate ventilation

Keep away from ignition sources.

Wear protective clothing.

6.2 Environmental

precautions: Inform respective authorities in case of seepage into water course or sewage

system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for

containment and cleaning up: Warm water and cleansing agent

Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders).

Dispose of the material collected according to regulations. Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other

**sections** See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)



Printing date 14.02.2022 Version number 15.5 (replaces version 15.3) Revision: 14.02.2022

Trade name: TopOil

(Contd. of page 3)

### SECTION 7: Handling and storage

7.1 Precautions for safe

**handling** Use only in well ventilated areas.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

General protective and

hygienic measures: Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Do not eat, drink, smoke or sniff while working.

Do not carry product impregnated cleaning cloths in trouser pockets.

Information about fire - and

**explosion protection:** Keep respiratory protective device available.

Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by

storerooms and receptacles: Store only in the original receptacle.

Information about storage in

one common storage facility: Not required.

Further information about

**storage conditions:** Protect from frost.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Storage class: 10

**7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

aliphatic hydrocarbons, C10-C13

TWA Short-term value: 1200 mg/m³

**CEFIC-HSPA** 

**Additional information:** The lists valid during the making were used as basis.

8.2 Exposure controls
Appropriate engineering

controls Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 5)



Printing date 14.02.2022 Version number 15.5 (replaces version 15.3) Revision: 14.02.2022

Trade name: TopOil

(Contd. of page 4)

Individual protection measures, such as personal protective equipment

General protective and

hygienic measures: Do not eat, drink, smoke or sniff while working.

Do not carry product impregnated cleaning cloths in trouser pockets.

See Section 7 for information on safe handling.

**Respiratory protection:** Use suitable respiratory protective device only when aerosol or mist is formed.

Use a properly fitted, air-purifying or air-fed repirator complying with an approved standard if a risk assessment indicates this is necessary. Half mask with round thread connection EN 148-1 (screw-on filter) and

combination filter A1 - P2 according to German DIN EN 14387.

Not necessary if room is well-ventilated.

**Hand protection**To avoid skin problems reduce the wearing of gloves to the required minimum.

The glove material has to be impermeable and resistant to the product/ the

substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates

of diffusion and the degradation

also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be

checked prior to the application.

Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

For the permanent contact gloves made of the following

materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.4 \text{ mm}$ 

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

For the permanent contact of a maximum of 15 minutes gloves made of the following

materials are suitable: Nitrile rubber, NBR

**Eye/face protection** Goggles recommended during refilling

**Body protection:** Protective work clothing

### SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

**General Information** 

Colour: According to product specification

Odour: Mild

(Contd. on page 6)



Revision: 14.02.2022

Printing date 14.02.2022

Version number 15.5 (replaces version 15.3)

Trade name: TopOil

(Contd. of page 5)

Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

range > 180 °C (DIN 51751)

Lower and upper explosion limit

 Lower:
 0.6 Vol %

 Upper:
 7.0 Vol %

Flash point:> 60 °C (DIN EN ISO 2719)Auto-ignition temperature:Product is not selfigniting.

**pH** Not applicable.

Viscosity:

Kinematic viscosity >21 mm²/s (40°C) (calculated)

Dynamic at 20 °C: 140 mPas

Solubility

water: Not miscible or difficult to mix.

Vapour pressure: Not determined.

Density and/or relative density

**Density at 20 °C:** 0.92-0.97 g/cm³ (DIN 51757)

9.2 Other information

Appearance:

Form: Viscous

Important information on protection of health and

environment, and on safety.

Ignition temperature: 240 °C

**Explosive properties:** Product does not present an explosion hazard.

Solvent content:

VOC (EC) Not applicable.

Information with regard to physical hazard classes

**Explosives** 

Void

Flammable gases

Void

**Aerosols** 

Void

Oxidising gases

Void

Gases under pressure

Void

(Contd. on page 7)



Revision: 14.02.2022

Printing date 14.02.2022

Version number 15.5 (replaces version 15.3)

		(Contd. of page
Flammable liquids		
	Void	
Flammable solids		
	Void	
Self-reactive substance	s and mixtures	
	Void	
Pyrophoric liquids		
Pyrophoric solids	Void	
r yrophone sonus		
Self-heating substances	Void s and mixtures	
•		
	Void	
Substances and mixture	es, which emit flammable	
	4	
gases in contact with w	ater	
	ater	
	ater	
gases in contact with w	Void	
gases in contact with w	Void	
gases in contact with w Oxidising liquids	Void	
gases in contact with w Oxidising liquids	Void Void	
gases in contact with w  Oxidising liquids  Oxidising solids	Void Void	
gases in contact with w  Oxidising liquids  Oxidising solids	Void Void Void	



Printing date 14.02.2022 Version number 15.5 (replaces version 15.3) Revision: 14.02.2022

Trade name: TopOil

(Contd. of page 7)

Desensitised explosives

Void

### SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

10.2 Chemical stability Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous

**reactions** Reacts with fabric soaked in the product (e.g. cleaning wool).

**10.4 Conditions to avoid** Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

10.5 Incompatible materials: N

No further relevant information available.

10.6 Hazardous

decomposition products: Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

Additional information:

Warning:

Wash out any used cloth impregnated with this product immediately after use

or store in an airtight container (danger of self-ignition)

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** Based on available data, the classification criteria are not met.

LD/LC50	LD/LC50 values relevant for classification:		
aliphatic	aliphatic hydrocarbons, C10-C13		
Oral	LD50	>5,000 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (rat)	
Inhalative	ative LC50 / 4h >5 mg/l (rat)		
13463-67-	13463-67-7 titanium dioxide - aerodynamic dia meter >10 μm		
Oral	LD50	>20,000 mg/kg (rat)	
Dermal	Dermal LD50 >10,000 mg/kg (rabbit)		

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin

sensitisationBased on available data, the classification criteria are not met.Germ cell mutagenicityBased on available data, the classification criteria are not met.CarcinogenicityBased on available data, the classification criteria are not met.Reproductive toxicityBased on available data, the classification criteria are not met.STOT-single exposureBased on available data, the classification criteria are not met.

(Contd. on page 9)



Printing date 14.02.2022 Version number 15.5 (replaces version 15.3) Revision: 14.02.2022

Trade name: TopOil

(Contd. of page 8)

**STOT-repeated exposure**Based on available data, the classification criteria are not met. **Aspiration hazard**Based on available data, the classification criteria are not met.

11.2 Information on other hazards

**Endocrine disrupting properties** 

None of the ingredients is listed.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

# Aquatic toxicity:

#### aliphatic hydrocarbons, C10-C13

EC50 / 48h >1,000 mg/l (Daphnia magna)

IC50 / 72h | >1,000 mg/l (algae) LC50 / 96h | >1,000 mg/l (fish)

#### 12.2 Persistence and

degradability No further relevant information available.

12.3 Bioaccumulative

potentialNo further relevant information available.12.4 Mobility in soilNo further relevant information available.

12.5 Results of PBT and vPvB assessmentPBT: Not applicable.vPvB: Not applicable.

12.6 Endocrine disrupting

**properties**The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly

hazardous for water

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

**Recommendation** Must not be disposed together with household garbage. Do not allow product

to reach sewage system.

Disposal must be made according to official regulations.

European	waste	catal	logue
----------	-------	-------	-------

08 01 12	waste paint and	l varnish other	than those men	ntioned in 08 01 11
----------	-----------------	-----------------	----------------	---------------------

15 01 04 metallic packaging

Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 10)



Revision: 14.02.2022

Printing date 14.02.2022

Version number 15.5 (replaces version 15.3)

Trade name: TopOil

(Contd. of page 9)

Recommended cleansing

agents: Water, if necessary together with cleansing agents.

Solvent naphtha

### SECTION 14: Transport information

14.1 UN number or ID number	Nat applicable
ADR, ADN, IMDG, IATA	Not applicable
14.2 UN proper shipping name	
ADR, ADN, IMDG, IATA	Not applicable
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Not applicable
14.4 Packing group	
ADR, IMDG, IATA	Not applicable
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according	g to IMO
instruments	Not applicable.
UN "Model Regulation":	Not applicable

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU Named dangerous

**substances - ANNEX I** None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

(Contd. on page 11)

# Safety data sheet



### according to 1907/2006/EC, Article 31

Printing date 14.02.2022 Version number 15.5 (replaces version 15.3) Revision: 14.02.2022

Trade name: TopOil

(Contd. of page 10)

#### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

GISBAU-Code GISCODE: Ö60 VOC (EC) Not applicable.

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Reasons for alterations Reach Annex II (2021)

**Relevant phrases** H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

Classification according to

Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method

using substance data according to Regulation (EC) No 1272/2008.

**Department issuing SDS:** product safety department

Contact: Hr. Dr. Starp

Version number of previous

version: 15.3

Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route

(European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Asp. Tox. 1: Aspiration hazard – Category 1

Sources ESIS: European chemical Substances Information System

**ECHA Portal** 

Safety data sheets from raw material suppliers

(Contd. on page 12)



Printing date 14.02.2022

Version number 15.5 (replaces version 15.3)

Revision: 14.02.2022

(Contd. of page 11)

Trade name: TopOil

\* Data compared to the previous version altered.

Additions, Deletions, Revisions

Updated according to regulation (EU) 2020/878 amending regulation (EC) No:

1907/2006 (REACH)

- El